

XOPIZZA4GAS_

GAS | WOOD FIRED PIZZA/HEARTH OVEN NATURAL GAS /LIQUID PROPANE/WOOD

PUT SOME AWESOME IN YOUR BACKYARD





- Natural Gas | Liquid Propane
- 51.000 BTU Burner
- Alimentary Certified Brick Floor
- Available in Black or Red Powder Coat


MEET THE NEWEST MEMBERS OF THE FAMILY


All XO Pizza Ovens are designed and manufactured in Italy to combine the best in modern technology and old world craftsmanship. What better way to bring that authentic taste and experience of traditional stone oven cooking to your backyard.

Incorporating many of the same features customers love about XO's wood fired models but with the convenience of gas.

WORLD CLASS SERVICE | COMPREHENSIVE WARRANTIES

OUR LASTING COMMITMENT TO YOU





FEATURES

FINISH










Red Powder Coat

- Stainless Steel Flue and Spark Arrestor
- 51,000 BTU Burner | Specify Propane/Natural Gas
- Alimentary Certified Replaceable Brick Floor
- Fully Insulated Stainless Steel Interior Dome
- Double Insulated Floor Retains Heat Longer
- Intuitive Single Knob Control
- Thermocouple Protected Burner
- Chamber Temperature Thermometer
- Stainless Steel Vented Door Included





SPECIFICATIONS

FUEL Natural Gas | Liquid Propane (wood burning option included)

OVERALL DIMENSIONS

H 25-13/16" (w/Flue: 47-11/16")

W 39-7/16"

D 30-7/16"


COOKING AREA 28-15/16"W x 23-5/8"D (large enough for 13" pizza)

WEIGHT 287LBS

OPTIONAL XOPIZZATOOL4



PRO-GRADE LUXURY WOOD-FIRED PIZZA OVEN CART



FEATURES

FINISH

Carbona (Charcoal)





XOGPIZZA4GASRO_ + CART

- 24" slide out stainless steel prep shelf
- Sturdy construction minimal assembly required
- Two convenient center shelves
- Durable weather-resistant powder coating
- Toolset Bracket Included (toolset optional)
- Heavy duty casters
- Designed and manufactured in Italy

SPECIFICATIONS

DIMENSIONS Н 79 1/4"

W 63 3/8"

34 1/4"

215 I BS WEIGHT

4 Piece Tool Set: **OPTIONS**

MODEL: XOPIZZATOOL4

XOPIZZA4GAS + Cart Cover

MODEL: XOGCOVER40PF

